

Notice of Allowability

Application No.

10/669,181

Examiner

Camie S. Thompson

Applicant(s)

AYLWARD ET AL.

Art Unit

1774

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to Amendment filed January 22, 2007.
2. ☒ The allowed claim(s) is/are 1-4,6-24,26-69,71-107 and 109-130.
3. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) ☐ All b) ☐ Some* c) ☐ None of the:
 1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.

THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

4. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
 5. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date _____.
 - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
6. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

1. ☐ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. ☐ Information Disclosure Statements (PTO/SB/08),
Paper No./Mail Date _____
4. ☐ Examiner's Comment Regarding Requirement for Deposit
of Biological Material
5. ☐ Notice of Informal Patent Application
6. ☐ Interview Summary (PTO-413),
Paper No./Mail Date _____
7. ☐ Examiner's Amendment/Comment
8. ☒ Examiner's Statement of Reasons for Allowance
9. ☐ Other _____

REASONS FOR ALLOWANCE

The following is an examiner's statement of reasons for allowance: The prior art does not teach or suggest the recited article comprising a substrate having deposited on the surface thereof at least one antistatic layer that comprises at least one conductive material and has a resistivity of between 10^{13} and 10^7 ohms/sq; and wherein the antistatic layer comprises areas of patterned coverage; and wherein the patterned coverage comprises a graphic design and the patterned coverage comprises a continuous interconnected conductive pathway as claimed in claim 1.

Additionally, the prior art does not teach or suggest the recited article, further including a core that has adhered thereto at least one flange layer and wherein the flange layer has at least one antistatic layer that comprises at least one conductive material and has a resistivity of between 10^{13} and 10^7 ohms/sq; and wherein the antistatic layer comprises areas of patterned coverage; and wherein the patterned coverage comprises a graphic design and the patterned coverage comprises a continuous interconnected conductive pathway as claimed in claim 48.

The prior art does not teach or suggest the recited article, further including the graphic design comprising at least one member selected from the group consisting of at least one line, at least one dot, a grid, at least one character, and at least one logo as claimed in claim 93.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communication from the examiner should be directed to Camie S. Thompson whose telephone number is (571) 272-1530. The

Art Unit: 1774

examiner can normally be reached on Monday through Friday from 7:30 am to 4:00 pm. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Rena L Dye, can be reached at (571) 272-3186. The fax phone number for the Group is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).


RENA DYE
SUPERVISORY PATENT EXAMINER
AU 1774